

Maintenance instructions rubberized rooms

Limo Security room ®



Proper maintenance ensures maximum lifespan

Our rubberized rooms are designed to, with a small maintenance will ensure a long service life. We recommend that the room is maintained regularly according to instructions.

A product from LIMO AB in Norrköping, Sweden

Navestadsgatan 42 . SE 603 66 Norrköping . Tel +4611-36 71 00 . e-mail: info@limo.se . www.limo.se

Limo security room® – Rubber-lined rooms

Rubber-lined rooms where you want to protect against injury in the event of a fall, intoxication and self-harming behavior in custody or in prisons. It will also be easy to keep rooms clean and sterile.

Limo rubberizes walls and floors in existing rooms with a soft materials that act as shock absorbers. Adaptations to the room is done and we make sure to cover joints as well as possible.

Soft walls & floors

It provides security that walls and floors are soft and flexible. Durable surface layer which prevents damage in the event of a fall.

Easy to clean & maintain

It is quick and easy to clean and disinfect the rooms after use and it improves the working environment for the staff in their daily work.



LIMO

LINATEX · MOLYSTRIA AB

Maintenance of rubberized rooms

To make the room function for a long time without problems, it is necessary that the room is continuously maintained according to the following points.

Cleaning

Clean the room regularly to maintain a clean and sterile room.
Never let dirt and liquids dry into the rubber coating.

Detergent: decifying, chlorine cleaning.

Warning !

Solvents must never be used for cleaning, as these can affect the UV protection Ozaline and the rubber fabric.

Inspection

Inspect the room regularly to detect any damage to the sealing outer rubber layer.

If the rubber layer is damaged, this must be repaired immediately, otherwise there is a risk because liquids penetrate the rubber layers and form mold and odor.

The rubber sheet can be repaired with Linatex compound, which is an unvulcanized rubber compound. An alternative for larger damages is to repair with a cloth that is vulcanized directly against the surface layer.

Recommended accessories

Linatex Compound & repair tape for minor damage.

LIMO

L I N A T E X · M O L Y S T R I A A B